

# **sourceserifpro**

## **Adobe's Source Serif Pro typeface for L<sup>A</sup>T<sub>E</sub>X**

Silke Hofstra, [tex@slxh.nl](mailto:tex@slxh.nl)

Documentation for sourceserifpro v1.4.  
November 10, 2018

This package provides the Source Serif Pro font in an easy to use way. For X<sup>A</sup>L<sup>E</sup>T<sub>E</sub>X and LuaL<sup>A</sup>T<sub>E</sub>X users the original OpenType fonts from [GitHub](#) are used. The entire font family is included.

This package is also available on [GitHub](#).

## **1 Options**

The package has the following options:

- **oldstyle, osf**: use old style numbers.
- **lining, nf, lf**: use lining numbers.
- **tabular**: use fixed-width numbers.
- **proportional**: use normal numbers.
- **black**: \bfseries is black.
- **semibold**: \bfseries is semibold.
- **bold**: \bfseries is bold.
- **light**: \mdseries is light.
- **extralight**: \mdseries is extra light.
- **regular**: \mdseries is regular.
- **scale, scaled**: Change the scaling with a factor. For example: scale=.5
- **default**: Source Serif Pro is set as the default font family.
- **normdefault**: Source Serif Pro is not set as the roman (serif) family.
- **type1, t1**: Override automatic detection and use the Type 1 fonts.
- **opentype, otf**: Override automatic detection and use OpenType fonts.

The following options are enabled by default: lining, proportional, bold and regular.

## **2 Commands**

Commands for all weights are also provided for X<sup>A</sup>L<sup>E</sup>T<sub>E</sub>X and LuaL<sup>A</sup>T<sub>E</sub>X users.

- **\sourceserifpro** – the regular and bold weights.
- **\sourceserifprolight** – the light and semibold weights.
- **\sourceserifproextreme** – the extra light and black weights.

## **3 Licence**

Adobe's Source Serif Pro typeface is available under the [SIL Open Font License 1.1](#). All L<sup>A</sup>T<sub>E</sub>X code is available under the [L<sup>A</sup>T<sub>E</sub>X project public license](#) v1.3 or later.

## **4 Specimen**

Simple specimen can be found on page 3. Full specimen can be [acquired from Adobe](#).

## **5 OpenType**

The OpenType fonts have many features, including old style numerals (1 6 9) and ligatures (fi fl ft).

## 5.1 Features

A complete list of available font features is available on page [4](#). More information on how to use font features can be found in the [fontspec documentation](#).

## 5.2 Files

- SourceSerifPro-Black.otf
- SourceSerifPro-BlackIt.otf
- SourceSerifPro-Bold.otf
- SourceSerifPro-BoldIt.otf
- SourceSerifPro-ExtraLight.otf
- SourceSerifPro-ExtraLightIt.otf
- SourceSerifPro-Light.otf
- SourceSerifPro-LightIt.otf
- SourceSerifPro-Regular.otf
- SourceSerifPro-RegularIt.otf
- SourceSerifPro-Semibold.otf
- SourceSerifPro-SemiboldIt.otf

## 6 Type1

The following Type1 font families are included:

- SourceSerifPro-LF
- SourceSerifPro-TLF
- SourceSerifPro-OsF
- SourceSerifPro-TOsF

With series ‘el’, ‘l’, ‘m’, ‘sb’, ‘b’, ‘k’ and shape ‘n’, ‘i’ and ‘sc’.

## 7 Version history

### 1.4

- Fix OpenType italics

### 1.3

- Update fonts to 2.007R-ro/1.007R-it
- Add small caps (Github issue #2)
- Add italics (Github issue #3)

### 1.2

- Fixed unimplemented weights (Github issue #1)

### 1.1

- Updated package with fonts 1.017

### 1.0

- Initial release with fonts 1.014

## 8 Known issues

- There are no known issues.

## 9 Specimen

### 9.1 OpenType

|                      | Default      | ExtraLight   | Light        | Regular      | Semibold     | Bold                | Black               |
|----------------------|--------------|--------------|--------------|--------------|--------------|---------------------|---------------------|
| normal               | abcde        | abcde        | abcde        | abcde        | abcde        | <b>abcde</b>        | <b>abcde</b>        |
| italic               | <i>abcde</i> | <i>abcde</i> | <i>abcde</i> | <i>abcde</i> | <i>abcde</i> | <b><i>abcde</i></b> | <b><i>abcde</i></b> |
| small-caps           | ABCDE        | ABCDE        | ABCDE        | ABCDE        | ABCDE        | <b>ABCDE</b>        | <b>ABCDE</b>        |
| capitals             | ABCDE        | ABCDE        | ABCDE        | ABCDE        | ABCDE        | <b>ABCDE</b>        | <b>ABCDE</b>        |
| lining               | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| lining italic        | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| lining small-caps    | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| old-style            | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| old-style italic     | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| old-style small-caps | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |

This table can also be found in [sourceserifpro-otf-specimen](#).

### 9.2 Type1

|                      | Default      | ExtraLight   | Light        | Regular      | Semibold     | Bold                | Black               |
|----------------------|--------------|--------------|--------------|--------------|--------------|---------------------|---------------------|
| normal               | abcde        | abcde        | abcde        | abcde        | abcde        | <b>abcde</b>        | <b>abcde</b>        |
| italic               | <i>abcde</i> | <i>abcde</i> | <i>abcde</i> | <i>abcde</i> | <i>abcde</i> | <b><i>abcde</i></b> | <b><i>abcde</i></b> |
| small-caps           | ABCDE        | ABCDE        | ABCDE        | ABCDE        | ABCDE        | <b>ABCDE</b>        | <b>ABCDE</b>        |
| capitals             | ABCDE        | ABCDE        | ABCDE        | ABCDE        | ABCDE        | <b>ABCDE</b>        | <b>ABCDE</b>        |
| lining               | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| lining italic        | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| lining small-caps    | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| old-style            | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| old-style italic     | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |
| old-style small-caps | 01469        | 01469        | 01469        | 01469        | 01469        | <b>01469</b>        | <b>01469</b>        |

This table can also be found in [sourceserifpro-type1-specimen](#).

## 10 Opentype features

|      |                                 |
|------|---------------------------------|
| aalt | Access All Alternates           |
| c2sc | Small Capitals From Capitals    |
| case | Case-Sensitive Forms            |
| ccmp | Glyph Composition/Decomposition |
| dnom | Denominators                    |
| frac | Fractions                       |
| kern | Kerning                         |
| liga | Standard Ligatures              |
| lnum | Lining Figures                  |
| mark | Mark Positioning                |
| mkmk | Mark to Mark Positioning        |
| numr | Numerators                      |
| onum | Oldstyle Figures                |
| ordn | Ordinals                        |
| pnum | Proportional Figures            |
| sinf | Scientific Inferiors            |
| size | Optical Size                    |
| smcp | Small Capitals                  |
| subs | Subscript                       |
| supr | Superscript                     |
| tnum | Tabular Figures                 |
| zero | Slashed Zero                    |

(list generated with *otfinfo*)